

## Abstract

# **Osteopathische Behandlung bei COPD**

Nikola Kapagiannidis

Die COPD ist weltweit die vierhäufigste Todesursache. Nur wenige wissenschaftliche Literaturbeiträge setzen sich mit der osteopathischen Behandlung bei COPD-Patienten auseinander.

Ziel der Literaturrecherche ist die Beantwortung der Frage, ob Studien belegen, dass eine osteopathische Behandlung klinisch relevante Parameter (Husten, Auswurf, Atemnot, FEV1 (forced expiratory volume in one second), FVC (forced vital capacity) sowie den Quotienten aus FEV1 und VC (Tiffeneau-Wert) des Krankheitsbildes COPD verbessert.

Literaturrecherche unter Berücksichtigung vorhandener Studien mit verschiedenen osteopathischen Therapieansätzen. 5 Studien mit COPD-Patienten wurden für diese Arbeit ausgewertet.

Keine der hier aufgeführten Studien, bei der COPD-Patienten mit osteopathischer Behandlung therapiert wurden, führte zu einer signifikanten Veränderung der Kenngrößen FEV1, VC und dem Quotienten aus FEV1/VC. Die Studien an gesunden Probanden (Schröder, 2003; Hosking 2009) konnten tendenziell leichte Verbesserungen zeigen. In Nolls Studien an COPD-Patienten (Noll 2008, 2009) zeigte sich eine Verschlechterung der FEV1 Werte nach der Behandlung mit Multitherapietechniken.

## **Literatur**

ATS, American Thoracic Society, 1962, Committee on Diagnostic Standards for Nontuberculous Respiratory Diseases, Definitions and classification of chronic bronchitis, asthma, and pulmonary emphysema. Am Rev Respir Dis, 85, S.762–769

Baig IM, Saeed W, Khali KF, 2010, post Tuberculous Chronic Obstructive Pulmonary Disease. J Coll Physicians Surg Pak. 20 (8), S. 542-544

Barral JP, Mercier P, 2005, Lehrbuch der viszeralen Osteopathie, Band 1, Elsevier, München, 2.Auflage, S.37-65

Bateman ED, Feldman C, O'Brian J, Plit M, Joubert JR et al., 2004. Guideline for the management of Chronic Obstructive Pulmonary Disease (COPD): 2004 Revision. Guideline working group of the South African Thoracic Society, S Afr Med J, 94, (7), S.559-587

Beske F, Katalinic A, Peters E et al., 2009, Morbiditätsprognose 2050. Ausgewählte Krankheiten für Deutschland, Brandenburg und Schleswig-Holstein. Schriftreihe Fritz Beske Institut für Gesundheits-System-Forschung BD 114, Kiel.

Bischoff M, 2010, Pseudomonas-Infektionen sind Risikofaktor für Krankenhausbehandlung, Respir Med; 104, S.840-848

Burge S, Wedzicha JA, 2003, COPD exacerbations: definitions and classifications Eur Respir J Suppl, 41, S. 46s-53s

Cazzola M, 2010, Prevalence of Comorbidities in Patients with Chronic Obstructive Pulmonary Disease, Respiration, 80, S. 112-119

Celli BR, Cote GG, Marin JM et al., 2004, The Body-Mass Index, Airflow Obstruction, Dyspnea and Exercise Capacity Index in Chronic Obstructive Pulmonary Disease. NEJM , 350, S.1005-1012

Celli BR, 2010, Respir Med. Predictors of mortality in COPD, Resp Med, 104, (6), S.773-779. Epub 2010 Apr 22, <http://www.ncbi.nlm.nih.gov/pubmed/20417082> [Zugriff am 19.9.2010]

Celli BR, MacNee W et al. 2004. Standards for the diagnosis and treatment of patients with COPD : a summary of the ATS/ERS position paper. Eur Respir J, 23, S.932-946

Christie JD, Edwards LB, Aurora P et al, 2008, Registry of the International Society for Heart and Lung Transplantation: twenty-fifth official adult lung and heart/lung transplantation report – 2008, J Heart Lung Transplant, 27, S.957-969

Clinicaltrials.gov, 2006, Efficacy of Osteopathic Manipulation in Chronic Obstructive Pulmonary Disease, Last Updated: August 17, 2006, <http://clinicaltrials.gov/ct2/show/results/NCT00034112?term=copd+osteopathic+manipulative+treatment&rank=1> [Zugriff am 8.10.2010]

Criée CP, Berdel D, Heise D et al, 2009, Empfehlungen der Deutschen Atemwegsliga zur Spirometrie, Dustri Verlag, Dr. Karl Feistle, ISBN 3-87185-364-X

Cruser dA, Dubin B, Brown SK et al, 2009, Biomedical research competencies for osteopathic medical students, Ost Med and Prim Care, 3 (10), S.1-11

Decramer M et al, 2008, COPD as a Lung Disease with Systemic Consequences – Clinical Impact, Mechanisms, and Potential for Early Intervention, J COPD, 5, S. 235-256

Degenhardt BF, Darmani NA, Johnson JC et al, 2007, Role of osteopathic manipulative treatment in altering pain biomarkers: a pilot study, J Am osteopath Assoc, 107, S.387-400

Fabbri LM, Rabe KF, 2007, From COPD to chronic systemic inflammatory syndrome?, Lancet, 370, S. 797-799

Filley GF, 1967, Clinical manifestations and their physiologic significance. Med Cin North Am, 51, S. 283-292

Filley GF, Dart GA, Mitchell RS, 1968, Emphysema and chronic bronchitis: clinical manifestations and their physiological significance, Aspen Emphysema Conf, 9, S. 339-349

Foglio K, Bianchi L, Bruletti G et al, 1999, long-term effectiveness of pulmonary rehabilitation in patients with chronic airway obstruction, Eur Respir J, 13, 125-132

Friedrich S, 2006, Can the parameters of the lung function FEV1, VC and the relationship FEV1/VC of the COPD patients with Rib Raising be influenced? Wiener Schule für Osteopathie, [www.osteopathic-research.com/cgi-bin/or/Search.pl?show\\_one=35431](http://www.osteopathic-research.com/cgi-bin/or/Search.pl?show_one=35431) [Zugriff am 10.8.2010]

GARD, Global Alliance against Chronic Respiratory Diseases, WHO, 2010, [www.GARD\\_Basket\\_web.pdf](http://www.GARD_Basket_web.pdf) [Zugriff am 19.9.2010]

Gesundheitsberichterstattung des Bundes, 2008, [http://www.gbe-bund.de/oowa921-install/servlet/oowa/aw92/dboowasys921.xwdevkit/xwd\\_init?gbe.isgbetol/xs\\_start\\_neu/&p\\_aid=3&p\\_aid=31008094&nummer=670&p\\_sprache=D&p\\_indsp=-&p\\_aid=14049263](http://www.gbe-bund.de/oowa921-install/servlet/oowa/aw92/dboowasys921.xwdevkit/xwd_init?gbe.isgbetol/xs_start_neu/&p_aid=3&p_aid=31008094&nummer=670&p_sprache=D&p_indsp=-&p_aid=14049263) [Zugriff am 19.9.2010]

Gesundheitsberichterstattung des Bundes, 2008, [http://www.gbe-bund.de/oowa921-install/servlet/oowa/aw92/dboowasys921.xwdevkit/xwd\\_init?gbe.isgbetol/xs\\_start\\_neu/&p\\_aid=i&p\\_aid=31008094&nummer=516&p\\_sprache=D&p\\_indsp=-&p\\_aid=71201611](http://www.gbe-bund.de/oowa921-install/servlet/oowa/aw92/dboowasys921.xwdevkit/xwd_init?gbe.isgbetol/xs_start_neu/&p_aid=i&p_aid=31008094&nummer=516&p_sprache=D&p_indsp=-&p_aid=71201611) [Zugriff 19.9.2010]

Gibb D, 2002, The effect of cervical HVT on lung function, London, undergraduate project, British College of Osteopathic Medicine  
Global strategy for the diagnosis, management and prevention of chronic obstructive pulmonary disease, update 2009, <http://www.goldcopd.com>, [Zugriff am 19.9.2010]

Gosselink R, 2000, Atemsystem. In: Van den Berg F., Ed 2000: Angewandte Physiologie 2, Stuttgart/New York: Georg Thieme: 35-76

Grabner A, 2007, The influence of osteopathic treatment on the lung function of COPD patients. Wiener Schule für Osteopathie, [www.osteopathic-research.com/cgi-bin/or/Search.pl?show\\_one=30643](http://www.osteopathic-research.com/cgi-bin/or/Search.pl?show_one=30643), [Zugriff am 10.8.2010]

Griffith TL, Burr ML, Campbell IA et al, 2000, Result at 1 year of outpatient multidisciplinary pulmonary rehabilitation: a randomised controlled trial, Lancet, 355, S.1280

Hebgen E, 2009, Checkliste Viszerale Osteopathie, Hippokrates Verlag, Stuttgart, 1. Auflage, S.71

Hogg JC, 2004, Pathophysiology of airflow limitation in chronic obstructive pulmonary disease. Lancet, 364, S. 709-721

Hosking S, 2009, The effect of osteopathic manipulative techniques on diaphragm movements and respiratory function in asymptomatic subjects, Master Thesis, <http://unitec.researchbank.ac.nz/handle/10652/1386>, [Zugriff: 29.8.2010]

Kaada B, Torsteinbo O, 1989, Increase of plasma beta-endorphins in connective tissue massage, Gen Pharmacol, 20, S.487-489

Lan CC, Yang MC et al, 2010, Pulmonary rehabilitation improves exercise capacity and quality of life in underweight patients with chronic obstructive pulmonary disease (Abstract), Rerspirology, <http://www.ncbi.nlm.nih.gov/pubmed/21054672> [Zugriff am 19.9.2010]

Liem T, Dobler TK, Puylaert M, 2005, Leitfaden Viszerale Osteopathie, Elsevier, München, 1.Auflage, S.595-597

Liem T., Dobler TK, 2005, Leitfaden Osteopathie – Parietale Techniken, Elsevier, München, 2.Auflage, S.35-41

Liem T, 2003, Praxis der Kranioskralen Osteopathie, Hippokrates, Stuttgart, 2.Auflage, S.15-16

Liem T, 2005, Kraniosakrale Osteopathie, ein praktisches Lehrbuch, Hippokrates, Stuttgart, 4.Auflage, S.489-501

Liem T, 2006, Morphodynamik in der Osteopathie, McKoneWL: Osteopathische Philosophie: Der Arzt als Mittelpunkt einer metaphysischen Medizin, Hippokrates, Stuttgart, 1.Auflage, S.28-43

McKenzie C and G, Cameron, 2004, The effect of thoracic muscle enrgy technique on FVC and FEV measurements. Master thesis, [http://eprints.vu.edu.au/714/1/McKenzie\\_et\\_al\\_2004.pdf](http://eprints.vu.edu.au/714/1/McKenzie_et_al_2004.pdf), [Zugriff: 29.8.2010]

McPartland JM, Giuffrida A, King J et al, 2005, cannabimimetic effects of osteopathic manipulative treatment, J Am Osteopath Assoc, 105, S.283-29

Mitchell RS, Ryan SF, Petty TL, Filley GF, 1966. Significance of morphologic chronic hyperplastic bronchitis. Am Rev Respir Dis, 93, S. 720

M'Lennan N, 2002, The effect of muscle energy techniques on lung function: a study on normal subjects, London, Undergraduate Project, British College of Osteopathic Medicine, Nationale Versorgungsleitlinie, Februar 2010, [www.copd.versorgungsleitlinie.de](http://www.copd.versorgungsleitlinie.de) [Zugriff am 10.8.2010]

Naunheim KS, Wood DE, Mohsenifar Z et al, 2006, Long-term follow-up of patients receiving lung-volume-reduction-surgery versus medical therapy for severe emphysema by the National Emphysema Treatment trial Research Group, Ann

Thorac Surg, 82, S.432-443

Nichol K, Margolis L, Wourenma J et al, 1994, The efficianca and costeffectiveness of vaccination against influenza among elderly persons living in the community, N Eng J Med, 331, S.778-784

Nici L, Donner C, Wouters E, Zuwallack R, 2006, ATS/ERS Pulmonary Rehabilitation Writing committee. American Thoracic Society/European Thoracic Society statement on pulmonary rehabilitation. Am J Respir Crit Care, 173, 1390-1413

Niewoehner DE et al, 2010, Risk indexes for exacerbations and hospitalizations due to COPD, New Engl J, 362, S 1407-1416

Noll DR, Johnson J, Snider E, 2006, Operator differences in the use of Thoracic Lymph Pump Technique in Persons with COPD, JAOA, 106, 8, S.474

Noll DR et al (2008), Immediate effects of osteopathic manipulative treatment in elderly patients with chronic obstrucive pulmonary disease, JAOA, 108, (5), S. 251-259

Noll DR. Johnson JC, Bear WB, Snider EJ, 2009, The immediate effect of individual manipulation techniques on the pulmonary function measures in persons with chronic obstrucive pulmonary disease, Osteopath Med and Primary Care, 3:9; <http://www.om-pc.com/content/3/1/9> [Zugriff am 10.8.2010]

Nowak D, Dietrich ES, Oberender P et al, 2001, Krankheitskosten von COPD in Deutschland, Dtsch Med Wschr; 126, S.353-359

O'Donnell DE, Hernadez P, Kaplan A et al. 2008. Canadian Thoracic Society recommendations for management of chronic obstrucive pulmonary disease – 2008 update – highlights for primary care. Can Respir J; 15(Suppl A): S.1A-8A

Oroczco-Levi M, Garcia-Aymerich J, Villar J, Ramirez-Sarmiento A, Anto JM, Gea J. 2006. Woodsmoke exposure and risk of chronic obstrucive pulmonary disease. Eur Respir J; 27, S.542-546

Ortley GR et al, (1980), Recording of physiological changes associated with manipulation in healthy subjects, J Am Osteopath Assoc, 80; S.228-229

Oxman AD, 1994, systematic review, a checklist for review article, BMJ, 309, S.684-651

Paoletti S, 2001, Faszien, Elsevier, München, 1.Auflage, S.58-59 und S.83-93

Pauwels RA, Buist AS,Calverley PMA et al., 2001, Global strategy for the diagnosis, management, and prevention of Chronic Obstructive Pulmonary Disease. NHLBI/WHO Global Initiative for the Chronic Obstructive Pulmonary Disease (GOLD), Workshop summary. Am J Respir Crit Care Med, 163, S.1256-1276

Pickett C, 2006, Does osteopathic manipulative treatment improve dyspnea and exercise tolerance in subjects with stable chronic obstructive pulmonary disease, University of North Texas Health Science Center at Fort Worth, 2006, S.1-54; AAT 1449244 <http://proquest.umi.com/pqdlink?Ver=1&Exp=12-11-2015&FMT=7&DID=1441185251&RQT=309&attempt=1&cfc=1> [Zugriff am 19.9.2010]

Pellegrino R, Viegi G, Brusasco V et al, 2005, Interpretative strategies for lung function tests, Eur Respir J, 26, S.948-968

Pritzkuleit R, Beske F, Katalinic A, 2010, Erkrankungen in der Pneumologie – eine Projektion bis 2060, Pneumologie, 64, S.535-540

Rabe RF, Hurd S, Anzueto A et al., 2007, Global strategy for the diagnosis, management, and prevention of Chronic Obstructive Pulmonary, GOLD Executive Summary. Am J Respir Crit Care Med, 176, S.532-555

Resch KL, 2007, Gutachten zur Fragestellung "Osteopathie und Evidenz", Deutsches Institut für Gesundheitsforschung, S.1-15, <http://www.bundesaerztekammer.de/downloads/StellOVLiteraturgutachtenResch.pdf> [Zugriff am 10.8.2010]

Schreder T, Gottlieb J, 2010, Lungentransplantation bei Lungenemphysem – Wer? Wann? Wie?, Pneumologie, 64, S. 632-639

Schröder P, 2003: Der Einfluss der Dehnung der thorakalen Faszien auf die Lungenvolumina Vitalkapazität (VC) und Einsekundenkapazität (FEV1) Gent, Thesis, IAO

Sezer H, Akkurt I, Guler N, Marakoglu K, Berk S, 2006, A case-control study on the effect of exposure to different substances on the development of COPD. Ann Epidemiol ,16, S.59-62

Skumlien S et al, 2007, Four weeks intensive rehabilitation generates significant health effects in COPD patients, Chron Resp Dis 4, (1), S.5-13

Smith CA, Harrisson DJ. 1997. Association between polymorphism in gene for microsomal epoxide hydrolase and susceptibility to emphysema. Lancet, 350, S.630-633

Snider GL, Kleinerman J, Thurlbeck WM et al., 1985, The definition of emphysema. Report of a National Heart, Lung, and Blood Institute, Division of Lung Diseases workshop. Am Rev Respir Dis.,132, S.182–185

Stiller KR, McEvoy RD, 1990, Chest physiotherapy for the medical patient – are current practices effective? Aust N Z J Med, 20; S.183-188

Stoller JK, Aboussouan LS. 2005. Alpha1-antitrypsin deficiency. Lancet; 365, S.2225-2236

Tarpy SP, Celli BR, 1995, Long-term oxygen therapy, N Eng J Med, 333, S.710-714  
Rabe KF, 2010, Der Phosphodiesterase-4-Hemmer Roflumilast – Fortschritt bei der Therapie der COPD, Thieme Drug Report; 4, S.1-16

Varraso R, Jiang R, Barr RG, Willett WC, Camargo CA Jr. 2007. Prospective study of cured meats consumption and risk of chronic obstructive pulmonary disease in men. Am J Epidemiol; 166, (12), S.1438-1445

Vernon HT, Dhami MS, Howley TP, Annett R, 1986, Spinal manipulation and beta-endorphin: a controlled study of the effect of a spinal manipulation on plasma beta-endorphin levels in normal males, J Manipulative Physiol Ther, 9, S.155-123

Vick DA, McKay C, Zengerle CR, 1996, The safety of manipulative treatment: review of the literature from 1925-1993, J Am Osteopath Assoc, 96, S.113-115

Vogelmeier C et al, 2007, Leitlinie der Deutschen Atemwegsliga und der Deutschen Gesellschaft für Pneumologie und Beatmungsmedizin zur Diagnostik und Therapie von Patienten mit chronisch obstruktiver Bronchitis und Lungenemphysem (COPD). Pneumologie, 61, S.e1-e40.

Weiler J, 2009, The influence of the application of a sternal recoil technique on spirometric parameters in smokers, Wiener Osteopathie Schule, [www.osteopathic-research.com/cgi-bin/or/Search.pl?show\\_one=35108](http://www.osteopathic-research.com/cgi-bin/or/Search.pl?show_one=35108) [Zugriff am 19.9.2010]

Wieser R, 2007, Can vital Capacity be Improved by Osteopathic treatment of the Mediastinum? Wien, Thesis, WSO, World Health Organization (WHO). [www.who.int/respiratory/copd/definition/en/print.html](http://www.who.int/respiratory/copd/definition/en/print.html). [Zugriff: 28.8.2010]

World Health Organization (WHO). [www.who.int/respiratory/copd/en/index.html](http://www.who.int/respiratory/copd/en/index.html) [Zugriff: 28.8.2010]

World Health Organization (WHO). 2008, July, [www.who.int/features/qa/48/en/index.html](http://www.who.int/features/qa/48/en/index.html). [Zugriff: 28.8.2010]

World Health Organization (WHO). 2009, November, [www.who.int/mediacenter/factsheets/fs315/en/index.html](http://www.who.int/mediacenter/factsheets/fs315/en/index.html). [Zugriff: 28.8.2010]

World Health Organization (WHO). [www.who.int/respiratory/copd/causes/en/index.html](http://www.who.int/respiratory/copd/causes/en/index.html). [Zugriff: 28.8.2010]

World Health Organization (WHO), 1961, Report of an expert committee: Definition and diagnosis of pulmonary disease with special reference to chronic bronchitis and emphysema, WHO Techn Rep Ser, 213, S. 14-19  
<http://www.goldcopd.org>, 2010, World COPD Day 2010, November 17, 2010

[Zugriff: 19.9.2010]

<http://www.goldcopd.org>, 2010, Summary: GOLD National Leaders Meeting, May 15, 2010, New Orleans, Louisiana, USA [Zugriff am 19.9.2010]

Young P, Dewse M, Fergusson W, Kolbe J, 1999, Improvements in outcomes for chronic obstructive pulmonary disease (COPD) attributable to a hospital-based respiratory rehabilitation programme, Aust N Z J Med, 29, 59-65